

POWERED BY **Dialog****Prevention of corrosion along tear-off line of metal can - involves spraying corrosion protection medium by method suitable for any shape of can****Patent Assignee:** KARGES HAMMER MASCH GMBH & CO**Inventors:** DENECKE H**Patent Family**

Patent Number	Kind	Date	Application Number	Kind	Date	Week	Type
DE 4120836	A1	19930107	DE 4120836	A	19910624	199302	B
WO 9300173	A1	19930107	WO 92DE516	A	19920624	199304	

Priority Applications (Number Kind Date): DE 4120836 A (19910624)**Cited Patents:** EP 373034 ; FR 2423339; US 4842887**Patent Details**

Patent	Kind	Language	Page	Main IPC	Filing Notes
DE 4120836	A1		4	B05B-012/02	
WO 9300173	A1		15	B05B-012/12	
Designated States (National): RU US					
Designated States (Regional): AT BE CH DE DK ES FR GB GR IT LU MC NL SE					

Abstract:


DE 4120836 A

A metal can for preserved foodstuff such as fish is of rectangular form with rounded corners. The can has a lid (1) which is provided with a tear-off line (2) for easy opening. The metal along the tear-off line is protected from corrosion by spraying a corrosion protection medium.

The medium is sprayed from a row of nozzles (4) in a spray head (3) with each nozzle being opened or closed by a needle. The lid is mounted on a belt which transports the lid over the spray head which is controlled so that only those nozzles aligned with the tear-off line are open.

USE/ADVANTAGE - Protection from corrosion of tear-off lines on metal cans. The method is applicable to cans of non-cylindrical form.

Dwg.1/2



Derwent World Patents Index

© 2003 Derwent Information Ltd. All rights reserved.

Dialog® File Number 351 Accession Number 9316015

T 1/5/1

1/5/1

DIALOG(R)File 351:Derwent WPI

(c) 2006 The Thomson Corp. All rts. reserv.

002263928

WPI Acc No: 1979-63132B/197934

Can end prodn. - from thermoplastics material-coated sheet, involves
forming score line and heating

Patent Assignee: METAL BOX CO SOUTH AFRICA (METB)

Inventor: GOTZ J A

Number of Countries: 001 Number of Patents: 001

Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week
ZA 7801228	A	19790403				197934 B

Priority Applications (No Type Date): ZA 781228 A 19780302

Abstract (Basic): ZA 7801228 A

A scored thermoplastic coated lid is made by coating the lid with
the thermoplastic (30), scoring it at least partially through the
substrate (12), and then heating the lid to cause the thermoplastic to
flow over and conceal the score line. A specific thermoplastic is wax.

ADVANTAGES

Because the score line is covered by the thermoplastic, lids of
corrodible metals such as tin plate or steel can be used.

Title Terms: CAN; END; PRODUCE; THERMOPLASTICS; MATERIAL; COATING; SHEET;
FORMING; SCORE; LINE; HEAT

Derwent Class: A92; M13; Q32

International Patent Class (Additional): B65D-007/00

File Segment: CPI; EngPI

?